

**CLAIM AMENDMENTS:**

This listing of claims will replace all previous versions of claims in the application:

1. (Currently Amended) A messaging system comprising:

a processor; and

a memory device coupled to the processor, the memory device storing instructions for generating a graphical user interface, the graphical user interface operable to present:

an address menu having an identification field with a plurality of associated address fields, each of the plurality of associated address fields operable to maintain an address for a plurality of messaging receipt options, wherein an outgoing electronic message is formatted in a plurality of formats based upon one or more of the plurality of messaging receipt options;

a selector to initiate presentation of the address menu at the graphical user interface for user selection of multiple addresses from the plurality of address fields of the identification field, wherein content associated with the selector is selectively presented audibly; and

an address box associated with the outgoing electronic message, the address box capable of receiving multiple user-selected addresses from the plurality of associated address fields of the identification field for subsequent transfer of the outgoing electronic message to the multiple user-selected addresses; and

an attachment engine operable to determine a type of a device associated with at least one of the multiple user-selected addresses and to automatically, without user interaction, convert a file attached to the outgoing electronic message into a format receivable by the device.

2. (Previously Presented) The messaging system of claim 1, wherein the identification field maintains a contact alias for a potential recipient of the outgoing electronic message.

3. (Previously Presented) The messaging system of claim 1, wherein the graphical user interface is further operable to present:

a first address menu for a first user and a second address menu for a second user; and  
an interface engine associated with the messaging system and operable to  
communicatively couple a remote computer associated with the first user to the  
messaging system.

4. (Previously Presented) The messaging system of claim 3, wherein the messaging system is operable to initiate communication of internet protocol packets.

5. (Previously Presented) The messaging system of claim 3, wherein the remote computer is communicatively coupled to the messaging system via a cable modem.

6. (Previously Presented) The messaging system of claim 1, wherein the address menu further comprises:

a first address field associated with the identification field, the first address field for  
maintaining a first address type of a contact; and  
a second address field associated with the identification field, the second address field for  
maintaining a second address type of the contact.

7. (Previously Presented) The messaging system of claim 6, wherein the first address type is selected from the group consisting of an email address, a telephone number, an instant messaging address, a short messaging service address, an enhanced messaging service address, a multimedia messaging service address, and a facsimile number.

8. (Previously Presented) The messaging system of claim 1, wherein the identification field is operable to maintain a contact name, and wherein the address menu further comprises:  
a first address field associated with the identification field, the first address field for maintaining a first address of the contact name; and  
a second address field associated with the identification field, the second address field for maintaining a second address of the contact name;  
wherein the first address is selected from the group consisting of an email address, a telephone number, an instant messaging address, a short messaging service address, an enhanced messaging service address, a multimedia messaging service address, and a facsimile number.

9.-10. (Cancelled).

11. (Currently Amended) A ~~messaging~~ method, comprising:  
initiating presentation of a first user-selectable item for viewing a collection of contact information, wherein content associated with the first user-selectable item is selectively presented audibly;  
receiving a signal indicating user selection of the first user-selectable item;  
initiating a graphical user interface (GUI) element to present an address menu comprising contact information for at least one potential addressee, the contact information including a first selectable address of a first address type and a second selectable address of a second address type for the at least one potential addressee;  
recognizing a selection of the first selectable address and the second selectable address;  
and  
initiating presentation of the first selectable address and the second selectable address in an address box associated with an outgoing electronic message, ~~wherein the outgoing electronic message is formatted based upon the first address type for transmission to the first selectable address and the outgoing electronic message is formatted based upon the second address type for transmission to the second selectable address;~~  
formatting the outgoing electronic message, without user interaction, into a first format receivable by the first selectable address based on the first address type; and  
formatting the outgoing electronic message, without user interaction, into a second format receivable by the second selectable address based on the second address type.

12. (Cancelled).

13. (Previously Presented) The method of claim 11, further comprising:  
receiving a signal indicating a request to prepare the outgoing electronic message; and  
initiating presentation of a messaging graphical user interface (GUI) to present a message composition template comprising the address box and a message input box.

14. (Previously Presented) The method of claim 11, further comprising:  
modifying the address menu in response to a user input comprising addition of another  
potential addressee; and  
subsequently initiating the graphical user interface (GUI) element; and  
wherein the address menu comprises contact information for the at least one potential  
addressee and the another potential addressee.

15. (Cancelled).

16. (Previously Presented) The method of claim 11, further comprising:  
initiating presentation of a second user-selectable item associated with sending the  
outgoing electronic message to the first selectable address and the second  
selectable address in the address box.

17. (Previously Presented) The method of claim 16, further comprising:  
receiving a second signal indicating user selection of the second user-selectable item; and  
initiating communication of the outgoing electronic message to the first selectable  
address and the second selectable address.

18. (Previously Presented) The method of claim 17, further comprising attaching a file to  
the outgoing electronic message.

19. (Cancelled).

20. (Currently Amended) A machine-readable storage medium including instructions to prepare an electronic message, the instructions when executed by a machine causing the machine to:

provide a first user-selectable button in connection with preparation of the electronic message, wherein content associated with the first user-selectable button is selectively presented audibly;

initiate a graphical user interface (GUI) element to find at least one address for the electronic message in response to receiving a user selection of the first user-selectable button, the GUI element comprising an address menu having an identification field with a plurality of associated address fields, each of the plurality of associated address fields operable to maintain an address for a plurality of messaging receipt options;

receive a selection of multiple addresses from the plurality of associated address fields via the GUI element, each of the multiple addresses having a corresponding address type;

populate an address box of the electronic message with the selected multiple addresses; and

modify a format of the an outgoing electronic message, without user interaction, based on the electronic message such that a wherein the format corresponding to each address of the selected multiple addresses is based upon the corresponding address type, and wherein the address type of a first selected address of the selected multiple addresses is different than at least one other address type of the selected multiple addresses.

21. (New) The machine-readable storage medium of claim 20, wherein the address type of the first selected address is one of an email address, a telephone number, an instant messaging address, a short messaging service address, an enhanced messaging service address, a multimedia messaging service address, and a facsimile number.

22. (New) The method of claim 11, wherein the first address type is one of an email address, a telephone number, an instant messaging address, a short messaging service address, an enhanced messaging service address, a multimedia messaging service address, and a facsimile number, and wherein the first address type is different from the second address type.